AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. Cancelled.
- 2. Cancelled.
- 3. Cancelled.
- 4. Cancelled.
- 5. Cancelled.
- 6. Cancelled.
- 7. Cancelled.
- 8. Cancelled.
- 9. Cancelled.
- 10. (Currently Amended) A method according to Claim 1 of recycling waste carpeting and forming a new carpet containing the recycled waste carpeting comprising:
- (a) collecting waste carpeting containing calcium carbonate and thermoplastic materials;
- (b) processing the waste carpeting to provide a first material from the waste carpeting containing a first filler including the calcium carbonate and the thermoplastic materials and reducing the first material to a predetermined size in a range of 50-100 to

Michael E. BELL Appl. No. 09/986,058 April 20, 2004

95-325 wherein the first number represents the percentage of the first material which will pass through a mesh screen having a mesh size corresponding to the second number;

- (c) adding the first material to a second material to provide a composite material useful in the manufacture of the new carpet; and
- (d) making the new carpet containing the composite material; wherein step (c) is practiced to produce a latex carpet backcoating and step (d) includes making new carpeting with the latex carpet backcoating.
 - 11. Cancelled.
 - 12. Cancelled.
 - 13. Cancelled.
 - 14. Cancelled.
 - 15. Cancelled.
 - 16. Cancelled.
 - 17. Cancelled.
 - 18. Cancelled.
 - 19. Cancelled.
- 20. (Currently Amended) A method according to Claim 1 of recycling waste carpeting and forming a new carpet containing the recycled waste carpeting comprising:
- (a) collecting waste carpeting containing calcium carbonate and thermoplastic materials;

Michael E. BELL Appl. No. 09/986,058 April 20, 2004

(d)

- processing the waste carpeting to provide a first material from the waste carpeting containing a first filler including the calcium carbonate and the thermoplastic materials and reducing the first material to a predetermined size in a range of 50-100 to 95-325 wherein the first number represents the percentage of the first material which will pass through a mesh screen having a mesh size corresponding to the second number;
- adding the first material to a second material to provide a composite material useful in the manufacture of the new carpet; and
- making the new carpet containing the composite material; wherein step (c) is practiced to produce a carpet latex backcoating containing about 5-20% water, 20-40% latex and a second filler of up to 70% 0-70% calcium carbonate wherein the second filler comprises a predetermined percentage of the composite material, and step (d) includes making a new latex-backed carpet containing the composite material.